

Centre for Academic Primary Care

NIHR School for Primary Care Research

Managing primary care 'same day' demand: what are the workforce opportunities?

Matthew Booker

Consultant Senior Lecturer in Primary Care

@MatthewBooker

www.bristol.ac.uk/capc @capcbristol



Webinar Timings

12:30	Welcome – Same Day Demand: Where are we?	Dr Matthew Booker
12:40	FRONTIER – First Contact Physiotherapy in Primary Care	Prof Nicola Walsh
12:50	READY – Paramedics in General Practice	Prof Sarah Voss
13:00	Additional Roles Reimbursement Scheme: evaluation	Dr Zoe Anchors
13:10	A patient perspective on access	Dr Helen Baxter, Jean Palmer, Sue Geary
13:15	Q&A and open discussion	Dr Matthew Booker

Questions, comments, reflections – please use the chat throughout




Primary Care



Research in Emergency care, Avon Collaborative Hub

Same Day Demand: Current Scale?





Data: Appointments in General Practice Dataset, NHS Digital

Same Day Demand: Current Scale?


Percentage of appointments by Time between Booking and Appointment - Nationally





Data: Appointments in General Practice Dataset, NHS Digital


Same Day Demand: Who is Doing What?



335K



Number and Percentage of appointments by SDS Role Group and Weekday






Primary Care

4M

4M

Data: Appointments in General Practice Dataset, NHS Digital

How urgent are same day issues?





Centre for Academic Primary Care Source: Data from NIHR201306032

Access & Demand: NHSE Delivery Plan

Department of Health & Social Care

Delivery plan for recovering access to primary care May 2023 NHS

England



Tackle the "8am rush"

- …"patients know on the day how their request will be handled, based on clinical need and continuing to respect their preference for a call, face-to-face appointment, or online message."
- Empower patients
- 'Bureaucracy Busting Concordat'
- Employ 26,000 more direct patient care staff and deliver 50 million more appointments by March 2024



First Contact Physiotherapy for Musculoskeletal Disorders in Primary Care: The FRONTIER Study

<u>Nicola Walsh</u>, Alice Berry, Serena Halls, Rachel Thomas, Hannah Stott, Cathy Liddiard, Zoe Anchors, Fiona Cramp, Margaret Cupples, Peter Williams, Heather Gage, Dan Jackson, Paula Kersten, Dave Foster & Justin Jagosh

Slides and content cannot be shared further at this stage

Background

- First Contact Physiotherapists (FCPs) are located within primary care general practice
- FCPs assess, diagnose and manage patients with musculoskeletal disorders (MSKDs), without the requirement for a prior GP consultation. May have injecting and prescribing capabilities.
- The Long-Term Plan for England states everyone will have access to an FCP by 2024
- Implementation was driven by reducing GP numbers and increasing demand
 - Assist with GP workload
 - Expedite access to expert MSK advice to improve patient outcomes
 - Make better use of healthcare resource



Study Overview

- Realist evaluation of effectiveness and costs (what works, for whom, in what circumstances and how?)
- Four phases:
 - P1: Survey of current practice
 - P2: Realist synthesis to identify 'theories' as to how FCP may work in practice
 - P3: Survey and interviews with FCPs regarding the impact of remote consultations
 - P4: Mixed methods UK-wide evaluation of FCP-led compared to GP-led models
 - provide optimal patient management and show meaningful patient benefit
 - relieve GP workload pressure
 - promote better use of healthcare resources
 - positively impact on whole systems MSK practice



Participants and Outcomes

- N=424 patient participants over 6 months (0, 3 and 6 months)
- Three arms:
 - FCP(St) (n=15 sites); FCP without additional qualifications to inject/prescribe
 - FCP(AQ) (n=18 sites); FCP with additional qualifications to inject/prescribe
 - GP (n=13 sites); GP-led **without any FCP** provision
- Primary outcome measure SF36-PCS
- Health economics (CSRI)
- Interviews with n=80 patients and primary care staff



- Provide Optimal Patient Management and meaningful patient benefit
 - Non-inferiority analysis showed the primary outcome at 6-months is not significantly different between groups (p=0.667) (approx. 65% improved across groups)
 - At three months a significantly greater proportion of patients have improved having seen the FCPs compared with the GP (p=0.037)
 - Higher proportions of patients were managed with opioid derivatives in the GP-led model compared to FCP led models
 - Patients in FCP-led models of care had significantly fewer lost productivity days (p=0.019) compared to GP-led consultees



Relieve GP workload pressure

- No evidence to directly suggest pressure is relieved
- Increase in GP caseload complexity
- Additional burden from managing larger teams and staff mentorship



• Promote better use of healthcare resources

- Median healthcare consultation and resource costs
 - GP = £105.50/patient
 - FCP(St) = £41.00/patient
 - FCP(AQ) = ± 44.00 /patient
- No obvious benefits of the FCP(AQ) role compared with the FCP(St) role
- Clear cost-minimisation benefit of FCP-led models of care compared to a GP-led model



• Positively impact on whole systems MSK practice

- Careful consideration required to ensure physiotherapy provision is retained throughout the pathway
- Central provider provision may provide an improved employment model
- Flexibility in FCP approach necessary



Summary

- FCP provides a clinically effective, safe and cost-beneficial model for managing MSKDs in primary care
- Both FCP(St) and FCP(AQ) models provide equal benefits; there is no obvious benefit to FCPs having prescription and injection competencies
- The impact on GP workload needs continued monitoring, and primary care management structures may need re-configuration (other non-medical staff managing across disciplines)



Acknowledgements

- The authors would like to thank all study participants
- This study was funded by the National Institute for Health Research (NIHR) through a Health and Social Care Delivery Research (HS&DR) project grant awarded to Professor Nicola Walsh (16/116/03). The views expressed are those of the authors and not necessarily those of the NIHR.



Nicola.walsh@uwe.ac.uk







Presented by: Sarah Voss Professor of Emergency Care

Paramedics in General Practice

12 June 2023

A realist evaluation of paramedics working in general practice: An assessment of clinical and cost effectiveness



READY paramedics team

Prof Sarah Voss, University of the West of England Dr Matthew Booker, University of Bristol Dr Justin Jagosh, University of the West of England Prof Jonathan Benger, University of the West of England Prof Sarah Purdy, University of Bristol Dr Hannah Stott, University of the West of England Dr Trudy Goodenough, University of the West of England Dr Behnaz Schofield, University of the West of England Cathy Liddiard, University of the West of England Dr Nicky Harris, University of the West of England Prof Nicola Walsh, University of the West of England Alyesha Proctor, University of the West of England Dr Kim Kirby, University of the West of England Hazel Taylor, University Hospitals Bristol and Weston NHS FT Professor Will Hollingsworth, University of Bristol Dr Kirsty Garfield, University of Bristol Dr Nouf Jeynes, University of Bristol Dr Grace Scrimgeour, University of Bristol Dr Helen Baxter, University of Bristol Dr Andy Gibson, University of the West of England Patient and public partners, Bristol

FUNDED BY

NIHR National Institute for Health Research

This project was funded by the National Institute for Health Research (NIHR) Health Service and Research Delivery Programme (NIHR132736).

The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.



Case study sites and model classification

34 case study sites (GP surgeries): 25 PGP and 9 non-PGP

Each PGP site classified: Paramedic integration and patient complexity

	Patient Complexity (number of practices)			
	Low	Medium	High	Total
Integration level				
Low	4	5	4	13
Medium	2	2	2	6
High	3	1	2	6
Total	9	8	8	



Data collection

Qualitative realist interviews with staff and patients:

11 PGP sites and 3 non-PGP sites: 69 interviews (64 PGP)

Prospective patient data:

All sites:

Patient reported outcomes, healthcare use and costs in the 30 days following primary care consultations led by paramedics (PGPs) or GPs. (716 eligible participants recruited, 489 completed follow-up).


Retrospective patient data:

10 of 34 case study sites:

Medical record data exploring healthcare use and NHS costs in the 30 days following consultations (n=22,509) led by paramedics (PGP) or GPs.



Qualitative findings: Theory areas





Improved access with PGP

Patients:


Rapid access to healthcare for reassurance, treatment or onward referral, and the psychological benefits of knowing that they will be seen, helps patients to view the paramedic service favourably, so patients find it acceptable to see a paramedic rather than a GP.

Practice:

Availability of additional appointment capacity eases pressure on practice staff (receptionists, GPs, and others) and allows delegation of tasks, allowing better use of their specialist skills.



Potential consequences...






Costs of PGP consultation PROVISIONAL FINDINGS

Cost component	GP	Paramedic
Salary and oncosts	£145,862	£62,578
Working hours pa	1739	1553
Proportion of time in face-to-face		
consultations	0.61	0.61
Surgery consultation mins	9.22	12.53
Excluding overheads & qualifications		
Cost per surgery consultation	£21	£14




Prospective data: health care costs PROVISIONAL FINDINGS



- The total costs were slightly higher in PGP (£392.4/pt) compared to non-PGP sites (£368.6/patient).
- Costs excluded prescription costs.
- Data suggests PGP sites had a slightly higher number of prescriptions than non-PGP sites (1.7 vs 1.5 medications per patient).



Retrospective data: PGPs working with lower complexity patients have higher costs **PROVISIONAL FINDINGS**





12 June 2023

Evaluation of the Additional Roles Reimbursement Scheme

Dr Zoe Anchors

Additional Roles Reimbursement Scheme (ARRS)

- Primary Care: Greater Demand + Insufficient GPs + Increased Patient Requirements
- ARRS to recruit 26,000 additional staff into general practice by 2024. It is expected to:
 - impact the rising demand of primary care delivery
 - expediate patient access
 - provide an advanced career pathway for non-GP practitioners
- Limited evidence base on the effectiveness of the scheme

Objective: Identify key enablers and challenges of the scheme



Roles



- Clinical Pharmacists
- Pharmacy Technicians
- First Contact Physiotherapists
- Physician Associates
- Community Paramedics
- Dieticians
- Podiatrists
- Nursing Associates
- Occupational Therapists

- Care co-ordinators
- Social Prescribing Link Workers
- Health and well-being coaches
- GP Assistants*
- Digital Transformation Leads*
- Advanced clinical practitioner nurses**



Interview Participants (n = 37)

Across all 3 ICSs:

	n		n
PCN Directors	9	ARRS Project Manager	1
Workforce leads	7	Clinical Pharmacist	1
Community Paramedics	4	Health & Wellbeing Coach	1
Pharmacy Technicians	4	Mental Health Practitioner	1
Social Prescribers	3	Practice manager	1
Care co-ordinators	2	Business manager	1
First Contact Physiotherapists	2		

Analysis: Framework Analysis Method



Successes and enablers



Most felt valued (<u>but</u> measuring impact difficult)

I think our GPs are **still massively worked**, the workload is still huge. I suppose they [GPs] do **reflect** how they would cope if they didn't have some of these roles with the increased work.

Maximise impact:

Multiple roles Scope coherence/creep We're not a nurse, we're not a doctor, we're not admin, and they don't really know where we fit in.

Training hubs demystifying roadmaps

I don't think you can undervalue the role that the training hub could play, and do play.



Challenges



Scheme inflexibility	It is that lack of flexibility really that stops us using all our money, which seems a shame because it's just going back in some central pot.
Lack of supervision and career progression	You don't keep pharmacists for two minutes. As soon as they finish the pathway, they're gone.
Poor infrastructure and integration	I don't have a designated desk, or a designated drawer or even a designated pen.
Unintended consequences: Secondary systems Existing primary care staff	I think [practice staff] feel that the ARRS roles get priority from the government.



Currently

- Rapid insights guides for implementation guidance
- UoB collaboration
 - PCN workforce, GP workforce and General Practice Patient Survey data on patient journeys: ARRS numbers, referral numbers, patients seen, outcomes (where possible).



Acknowledgments

- Nicola Walsh
- Sarah Voss
- Bethan Jones
- Theresa Redaniel
- Chris Penfold

This research was funded by the NHS Insights Prioritisation Programme (NIPP). The views expressed are those of the authors and not necessarily those of NIPP.

Email: zoe.anchors@uwe.ac.uk



Centre for Academic Primary Care

NIHR School for Primary Care Research

The Patient Perspective

Helen Baxter Jean Palmer & Sue Geary

www.bristol.ac.uk/capc @capcbristol



Q1) As a patient, how do you feel about the system described earlier in the session where you may be navigated to see someone other than a GP, when calling your primary care practice?



Q2) Which health care professionals other than a GP do you feel might be able to help you for primary care?



Q3) Do you feel that in all cases seeing a GP would be the patient's choice, or do you feel other professionals may have other skills and perspectives to offer?



Keep in touch

Sign up for our newsletter

Visit our website: <u>www.bristol.ac.uk/capc</u>

Follow us on Twitter: @capcbristol

Email: phc-info@bristol.ac.uk

Information about future webinars in the series and other CAPC events are available on the <u>events</u> <u>page</u> of our website.

The next webinar in the series is in September and will be hosted by our Domestic and Sexual Violence and Health Research Group. Details to be announced.



Primary Care