Catheter Bandage: Catheter in use



Disclaimer

A series of booklets has been developed by the Clinical Skills Lab team (staff, recent graduates and students) from the School of Veterinary Sciences, University of Bristol, UK. Please note:

- Each booklet illustrates one way to perform a skill and it is acknowledged that there are
 often other approaches. Before using the booklets students should check with their
 university or college whether the approach illustrated is acceptable in their context or
 whether an alternative method should be used.
- The booklets are made available in good faith and may be subject to changes.
- In using these booklets you must adopt safe working procedures and take your own risk assessments, checked by your university, college etc. The University of Bristol will not be liable for any loss or damage resulting from failure to adhere to such practices.

This work is under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.



© The University of Bristol, 2017



Year Group: BVSc3 +



Equipment list:

Catheter Bandage: Catheter in use

Equipment for this station:

- A 'leg' with catheter, t-port and giving set in situ
- A swab
- Padding bandage
- Cohesive bandage
- Scissors

Considerations for this station:

 Bandaging material is expensive. Please re-roll and reuse materials.

Anyone working in the Clinical Skills Lab must read the 'CSL_I01 Induction' and agree to abide by the 'CSL_I00 House Rules' & 'CSL_I02 Lab Area Rules'

Please inform a member of staff if equipment is damaged or about to run out.



Clinical Skills:

Catheter Bandage: Catheter in use







Start with the catheter, tport and giving set in situ.
The gate should be open.
It is important to wear
gloves in certain cases e.g.
immunocompromised
patients.

Always select all equipment and open any packaging before starting.

Place a folded swab under the connector.

Ensure that any part of the catheter equipment that

could cause pressure under a bandage has some padding underneath it. Start the padding layer.
Start over the top of the catheter/t-port connection.



Roll on top of the bandage



Roll underneath the bandage




Continue with a several layers. End the bandage at the back of the leg.

Arrange the t-port and giving set on top of the padding layer. There should be a small loop in the giving set, so that if the animal catches the giving set, it pulls on the loop, not the catheter.



Start the cohesive layer. Stretch it out before using it so it does not constrict the animal's leg.



Place the cohesive bandage over the top of the padding layer. Cover the connectors, gate and injection port.



Clinical Skills: Catheter Bandage: Catheter in use








Continue bandaging around the leg, including the gate, connection and port between the padding and cohesive layers. Ensure the loop of giving set protrudes below the bandage.

Finish the cohesive layer at the back of the leg, aligning the edge with the padding layer. Now check that the bandage is not too tight (you should be able to put one finger between the animal's leg and the bandage) and that it won't come off too easily.


This booklet describes one way to bandage in a catheter; there are other ways. You may need to include the whole foot to prevent it swelling.

N.B. The Langford Vets protocol requires that all catheters must be bandaged in red. At other practices you may need to write on the bandage that it contains a catheter. You should record the date and time of catheter placement, as well as which vein it is in.

Here are 2 examples of arranging the giving set incorrectly:



- a) The connection, gate and injection port do not have padding underneath them, so may cause pressure.
- b) There is no loop in the giving set so if the animal catches the giving set it will pull directly on the catheter.





Resetting the station:

Catheter Bandage - Catheter in use

- 1. Remove all bandages from the models by un-wrapping them; do not cut the bandage off.
- 2. Do not remove the giving set, t-port or catheter.
- 3. Re-roll all the bandaging material. It can and will be reused.
- 4. Place all the materials, scissors etc. in the tray or box on the table.

Station ready for the next person:





Please inform a member of staff if equipment is damaged or about to run out.



I wish I'd known:

Catheter Bandage – Catheter in use

- The Langford Vets protocol requires that all catheters must be bandaged in red. At other practices you may need to write on the bandage that it contains a catheter.
- You should record the date and time of catheter placement, as well as which vein it is in.